

HELIOS

Your first IOS, Helios 600 Hello Helios, hello digital!

C Eighteett

Start your smooth digital journey with Helios 600!

Why bother?

High accuracy with automatic and adaptive calibration, manual calibration is not necessary any more.

Ready for your digital experience-

-One of the most accurate and fastest scanners on the market.

Ready for your hand-

- Small enough to operate it easily, though it achieves a 16mm x 14mm high-definition field of view.

Lighter

198 grams, one of the most lightweight scanners on the market, well-balanced, ergonomically designed, and easy to carry.

Faster

With Helios 600 you can take a full arch scan in less than 30 seconds.

Smarter

Al technology filters the soft and moving tissues, offering users a smooth scanning experience and generating a natural-looking treatment outcomes.

More accurate

Eighteeth

As one of the most accurate scanners on the market, Helios 600 has reached the state-of-the-art accuracy level- the average deviation of a in-vivo full arch scan is around 20µm.

Helios 600

Not only a comprehensive intraoral scanner, but also an intraoral camera!

Two start /stop buttons are provided on both sides for easier scanning

> LED Light Source Powder-Free Anti-Fogging

L S 16mm x 14mm 12mm x 12mm Removable scanner tip - 2 optional sizes

Attitude sensor for a better interaction with customers

Button for switching the upper jaw, lower jaw or bite mode

USB port for power delivery and data transfer

Firm body design with durability

Plug & Scan



- Smart Reminder $\left(\right)$
 - Automatic software update



Cloud Storage رام)

Eighter

Online 3D viewer 👰 🖲



Remote control mode

Timely after-sales service



Voice note

Helios 600			Recommended System Requirements	
Accuracy	Full-arch	20.0µm	Processor	Intel®CoreTM i7 9th Generation, base
	Scan area	16 x 14mm (L)		frequency 2.6 GHz (or better)
		12 x 12mm (S)	Memory	16 GB (or more) DDR4, frequency 2666
Handpiece	Dimensions	219 x 46 x 36mm		MHz (or better)
	Weight	198g	Disk	512G (or more) SSD
	Capture button	Two sided	Graphics card	NVIDIA®GeForce®GTX 1650 (or better)
Tip	Tip size (front part)	22 x 18mm (L)	Display	15.6" FHD (1920 x 1080) (or more)
		18.6 x 16.7mm (S)	Others	USB 3.0 port
Connectivity	Length	1.8m	Operating system	Windows 10 Pro
	Туре	USB 3.0	Optional	Touch screen
Calibration	Accuracy calibration	Calibration-free		
	Color calibration	Calibration-free		
Special mode	Remote control	Yes		
	mode			

H

H

Specificatic

Eighteeth